

EAST SEARCH HISTORY

HITS	QUERY STRING	DATABASE							
	0 5177802.pn	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
	2 5177802.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
	30 (contactless or contact?less or (without near contact) or camera) same (fingerprint adj (identif\$6 or verif\$6 or detect\$6)) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
	26 5177802.URPN.	USPAT							
	2 (contactless or contact?less or (without near contact\$5) or (without near touch\$4)) same (fingerprint adj (identif\$6 or verif\$6 or detect\$6)) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
	2 (touch?less or touchless or contactless or contact?less or (without near contact\$5) or (without near touch\$4)) same (fingerprint adj (identif\$6 or verif\$6 or detect\$6)) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
	2 (touch?less or touchless or contactless or contact?less or (without near\$3 contact\$5) or (without near\$3 touch\$4)) same (fingerprint adj (identif\$6 or verif\$6 or detect\$6)) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
	31 (touch?less or touchless or contactless or contact?less or (without with contact\$5) or (without with touch\$4)) same (fingerprint adj (identif\$6 or verif\$6 or detect\$6)) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
	4 (touch?less or touchless or contactless or contact?less or (without with contact\$5) or (without with touch\$4)) same (fingerprint adj (identif\$6 or verif\$6 or detect\$6)) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
	4 (touch?less or touchless or contactless or contact?less or ("without" with contact\$5) or ("without" with touch\$4)) same (fingerprint adj (identif\$6 or verif\$6 or detect\$6)) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							

50	(guide or target or overlay or superimpose or outline or (line adj up) with (display or crt or monitor or show or screen) same (finger or eye or retina or iris or hand) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
58	(guide or target or overlay or superimpose or outline or (line adj up) or align\$6) with (display or crt or monitor or show or screen) same (finger or eye or retina or iris or hand) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
6	("3891968" "4504970" "4537484" "4581760" "4724542" "4905293").PN.	USPAT							
4	("4160237" "4385831" "4936680" "5177802").PN.	USPAT							
0	6404904.URPN.	USPAT							
4	("4160237" "4385831" "4936680" "5177802").PN.	USPAT							
4	("4160237" "4385831" "4936680" "5177802").PN.	USPAT							
2	("4160237" "4385831").PN.	USPAT							
2	("4160237" "4385831").PN.	USPAT							
9	4936680.URPN.	USPAT							
106	(guide or target or overlay or superimpose or outline or (line adj up) or align\$6) same (display or crt or monitor or show or screen) same (finger or eye or retina or iris or hand) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
22983	(no near (contact\$4 or touch\$4)) or ("not" near (contact\$4 or touch\$4)) same (fingerprint adj (identif\$6 or verif\$6 or detect\$6)) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
340	(contactless or contact?less or (without near contact\$5) or camera or (without near touch\$4)) same (fingerprint) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
22983	(no near (contact\$4 or touch\$4)) or (no? near (contact\$4 or touch\$4)) same (fingerprint adj (identif\$6 or verif\$6 or detect\$6)) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
12	(contactless or contact?less or (without near contact\$5) or (without near touch\$4)) same (fingerprint) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
2	6636635.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							

4	(guide or target or overlay or superimpose or outline or (line adj up) or align\$6) same (display or crt or monitor or show or screen) same (finger or eye or retina or iris or hand) and 382/115-127.ccls. and harris\$.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
2	6411744.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
22	(camera same magnif\$8 same (rotat\$8 or transl\$8 or focus\$4)) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
3	(camera same (magnif\$8 or zoom\$4) same (rotat\$8 or transl\$8 or focus\$4) same fingerprint) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
2	(tamai.in.) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
13	(camera same track\$4 same (zoom\$4 or magnif\$8 or rotat\$6 or transl\$8)) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
35	("4341951" "4454414" "4588292" "4736096" "4821332" "4881268" "4893115" "4967366" "4973851" "4984280" "5012077" "5025373" "5038022" "5040223" "5050207" "5055660" "5071168" "5091975" "5095194" "5111395" "5177802" "5187748" "5189482" "5206488" "5208446" "5210588" "5210797" "5220501" "5221838" "5222152" "5294782" "5303149" "5466919" "5546303" "5555497").PN.	USPAT							
1	5895902.URPN.	USPAT							
1	(camera same (motion adj detect\$6) same (zoom\$4 or magnif\$8 or rotat\$6 or transl\$8)) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
5	((pupil near (dilat\$5 or contract\$5)) with (detect\$5 or sens\$5 or determin\$5 or identif\$5)) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
25	((eye or iris or blink\$3) near (move\$5 or motion)) with (detect\$5 or sens\$5 or determin\$5 or identif\$5)) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0	((eye or iris or blink\$3) near (move\$5 or motion)) with (detect\$5 or sens\$5 or determin\$5 or identif\$5)) same (recaptur\$5 or re?captur\$5 or rescans\$5 or re?scan\$5 or (scan\$5 near again) or (capture\$5 near again)) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							

2972799	2(((eye or iris or blink\$3) near (move\$5 or motion)) with (detect\$5 or sens\$5 or determin\$5 or identif\$5)) and (recaptur\$5 or re?captur\$5 or rescans\$5 or re?scan\$5 or (scan\$5 near again) or (capture\$5 near again)) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
2	5204703.pn.l	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
2	5204703.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
2	5291560.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0	9409472	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0	wo09/409472	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0	wo0944/09472	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0	0944/09472	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0	094/09472	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0	094109472	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0	9409472	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
36	9472	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0	gb2288138	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
6	2288138	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
7	2281838	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
14	??????09472.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0	??????09472.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0	199409472.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
2	9409472.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							

0 wo94109472		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
9 iriscan\$10.as.		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
23 iridian\$10.as.		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
3 5219560 pn.		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
2 5291560 pn.		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
2 4641349 pn.		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0 setlak.in. and "cellular phone"		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0 setlak.in. and "phone"		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
58 setlak.in.		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0 video?rate adj1 focys adj1 assessment		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
7 video?rate adj1 focus adj1 assessment		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0 fast adj1 focus adj1 assessment		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
5 daugman-j\$10.in.		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
2 5008946 pn.		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
661 ((motion adj detect\$5) or tracking) same camera and 382.clas.		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
456 ((motion adj detect\$5) or tracking) same camera and 382.clas. and @ay<=2000		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0 ((motion adj detect\$5)) same (eyes or eye or iris or irides) same camera and 382.clas. and @ay<=2000		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
7 ((motion adj detect\$5)) same (eyes or eye or iris or irides) and camera and 382.clas. and @ay<=2000		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
39 (((motion or move\$5) near detect\$5) same (eyes or eye or iris or irides) and camera and 382.clas. and @ay<=2000		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							

39	(US-6611613-\$ or US-6542625-\$ or US-6542081-\$ or US-6496598-\$ or US-6433818-\$ or US-3772465-\$ or US-5008946-\$ or US-5016282-\$ or US-5243666-\$ or US-5410609-\$ or US-5627586-\$ or US-5703961-\$ or US-5764785-\$ or US-5774591-\$ or US-5802220-\$ or US-5818954-\$ or US-6393133-\$ or US-6345111-\$ or US-6327381-\$ or US-6324453-\$ or US-6301371-\$ or US-6292575-\$ or US-6256400-\$ or US-6246799-\$ or US-6246779-\$ or US-6172706-\$).did. or (US-6141432-\$ or US-6121953-\$ or US-6118888-\$ or US-6108005-\$ or US-6005984-\$ or US-5901252-\$ or US-5862252-\$ or US-5859921-\$ or US-5845000-\$ or US-5835613-\$ or US-5832183-\$ or US-6678403-\$).did. or (US-20010043737-\$).did.	USPAT; US-PGPUB						
39	((((motion or move\$5) near detect\$5)) same (eyes or eye or iris or irides) and ((US-6611613-\$ or US-6542625-\$ or US-6542081-\$ or US-6496598-\$ or US-6433818-\$ or US-3772465-\$ or US-5008946-\$ or US-5016282-\$ or US-5243666-\$ or US-5410609-\$ or US-5627586-\$ or US-5703961-\$ or US-5764785-\$ or US-5774591-\$ or US-5802220-\$ or US-5818954-\$ or US-6393133-\$ or US-6345111-\$ or US-6327381-\$ or US-6292575-\$ or US-6256400-\$ or US-6246799-\$ or US-6246779-\$ or US-6172706-\$).did. or (US-6121953-\$ or US-6118888-\$ or US-6108005-\$ or US-6005984-\$ or US-5901252-\$ or US-5862252-\$ or US-5859921-\$ or US-5845000-\$ or US-5835613-\$ or US-5832183-\$ or US-6678403-\$).did. or (US-20010043737-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB						
0	daugman-john.in	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB						
0	daugman-john.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB						
2	daugman-john\$15.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB						
171	351/209.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB						

130	382/116.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0	382/116.ccls. and fingerprint and irsi	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
23	382/116.ccls. and fingerprint and iris	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
3	382/116.ccls. and fingerprint and iris and (average or weight) and correlation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
15	382/116.ccls. and (fingerprint or iris) and (average or weight) and correlation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0	GB2229305	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
6	2229305 .pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
81	((two near irises) or (two near irides) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
29	database and update and (expir\$4 or old) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
11	database same update and (expir\$4 or old) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
12	((("5055658") or ("5745046") or ("5963657") or ("6100811") or ("5400722") or ("6011858"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
934	((iris or display) same display) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
109	((iris or display) same (display or crt or monitor or screen) same (outline or superimpose or overlay or guide or target)) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
2	("3966310").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0	2229305.URPN.	USPAT							
111	flom.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
5	flom.in. and iris	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
26	((iris or eye) same (display or crt or monitor or screen) same (outline or superimpose or overlay or guide or target)) and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
26	((iris or eye) same (display or crt or monitor or screen) same (outline or superimpose or overlay or guide or target)) and (382/115-127.ccls. or 340/5.52-5.84.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							

1	((overlay\$5 or superimpose or display or crt or monitor or screenor outline or superimpose or overlay or guide or target) and (382/115-127.ccls. or 340/5.52-5.84.ccls.) and daugman.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
266	((password or userid or (user adj1 id) or (user adj name) or (logon)) same (biometric or iris or fingerprint)) and (382/115-127.ccls. or 340/5.52-5.84.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
6579	((password or userid or (user adj1 id) or (user adj name) or (logon)) same (biometric or iris or fingerprint)) and (database or reference) (382/115-127.ccls. or 340/5.52-5.84.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
257	((password or userid or (user adj1 id) or (user adj name) or (logon)) same (biometric or iris or fingerprint)) and (database or reference) and (382/115-127.ccls. or 340/5.52-5.84.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
141	((password or userid or (user adj1 id) or (user adj name) or (logon)) same (biometric or iris or fingerprint)) and (database and reference) and (382/115-127.ccls. or 340/5.52-5.84.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
68	((password or userid or (user adj1 id) or (user adj name) or (logon)) same (biometric or iris or fingerprint)) and (database and reference) and (382/115-127.ccls. or 340/5.52-5.84.ccls.) and @ay<=2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
73	((pin) same (biometric or iris or fingerprint)) and (database and reference) and (382/115-127.ccls. or 340/5.52-5.84.ccls.) and @ay<=2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
3	("4713753" "5018096" "5648648"),PN.	USPAT					
17	5648648.URPN.	USPAT					
2	6434259.URPN.	USPAT					
4	2271657.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
1	(US-4641349-\$).did.	USPAT					
1	((US-4641349-\$).did.) and storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
1	(US-6434259-\$).did.	USPAT					
1	((US-6434259-\$).did.) and time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
1	(US-6035406-\$).did.	USPAT					

1	((US-6035406-\$).did.) and time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
3	(US-6219439-\$ or US-6310966-\$ or US-6618806-\$).did.	USPAT							
2	((US-6219439-\$ or US-6310966-\$ or US-6618806-\$).did.) and time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
2	5802199.pn. and (pic or (personal adj identification adj code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
2	20010026632.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
11	iris same pc and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
41	door and iris and 382/115-127.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
11	door and iris and 382/115-127.ccls. and @ay<=2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
21	lock and iris and 382/115-127.ccls. and @ay<=2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
2	5802199.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
76	(biometric or iris) same (atm or (automatic adj teller adj machine)) and (382/115-127.ccls. or 340/5.52-5.84.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
44	(biometric or iris) same (atm or (automatic adj teller adj machine)) and (382/115-127.ccls. or 340/5.52-5.84.ccls.) and @ay<=2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
62	(vending adj machine) and (382/115-127.ccls. or 340/5.52-5.84.ccls.) and @ay<=2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
0	((vending adj machine) same iris) and (382/115-127.ccls. or 340/5.52-5.84.ccls.) and @ay<=2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
1	((vending adj machine) and iris) and (382/115-127.ccls. or 340/5.52-5.84.ccls.) and @ay<=2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
8	((vending adj machine) and (biometric or fingerprint)) and (382/115-127.ccls. or 340/5.52-5.84.ccls.) and @ay<=2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
3	((vending adj machine) same (biometric or fingerprint)) and (382/115-127.ccls. or 340/5.52-5.84.ccls.) and @ay<=2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							

8	((vending adj machine) and (biometric or fingerprint)) and (382/115-127 ccls. or 340/5.52-5.84.ccls.) and @ay<=2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
8	(US-6089284-\$ or US-5872834-\$ or US-3584958-\$ or US-3639905-\$ or US-5594806-\$).did. or (US-20020034321-\$ or US-20020149467-\$).did. or (JP-02100786-\$).did.	USPAT; US-PGPUB; JPO							
8	((vending adj machine) and ((US-6089284-\$ or US-5872834-\$ or US-3584958-\$ or US-3639905-\$ or US-5594806-\$).did. or (US-20020034321-\$ or US-20020149467-\$).did. or (JP-02100786-\$).did.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
4	((vending adj machine) and ((US-6089284-\$ or US-5872834-\$ or US-3584958-\$ or US-3639905-\$ or US-5594806-\$).did. or (US-20020034321-\$ or US-20020149467-\$).did. or (JP-02100786-\$).did.)) and biometric	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							
36	(biometric or iris) same ((point adj3 sale) or POS) and (382/115-127.ccls. or 340/5.52-5.84.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB							

US 6424727 B	20010517	Iris imaging system for obtaining an image of an iris of an eye of animal for animal identification, by comparing captured iris image of animal to iris images stored in database	CAMBIER, J L et al.							
US 6505193 B1	20030107	System and method of fast biometric database searching using digital certificates	Musgrave, Clyde et al.	707/3						
WO 2095657 A2	20021128	APPLICATION-SPECIFIC BIOMETRIC TEMPLATES	BRAITHWAITE, MICHAEL et al.							

[illegible]

US 6510236 B1	20030121	Authentication framework for managing authentication requests from multiple authentication devices	382/116	Crane, Michael A. et al.						
US 6205233 B1	20010320	Personal identification system using multiple parameters having low cross-correlation	382/103	Morley, Richard E. et al.						
US 6035406 A	20000307	Plurality-factor security system	713/202	Moussa, Mohamed A. et al.						
US 5502774 A	19960326	Automatic recognition of a consistent message using multiple complementary sources of information	382/159	Bellegarda, Jerome R. et al.						
GB 2229305 A	19900919	Identity verification		FLEMING, JOHN FRANK						
US 20030039380 A1	20030227	Person recognition apparatus	382/118	Sukegawa, Hiroshi et al.						

[illegible]

US 6522772 B1	20030218	Self-service checkout terminal having a biometric sensing device for verifying identity of a user and associated method	382/124	Morrison, James et al.						
US 5956122 A	19990921	Iris recognition apparatus and method	351/210	Doster, Rodney						
US 20020034321 A1	20020321	LOCK AND SWITCH USING PRESSURE-TYPE FINGERPRINT SENSOR	382/124	SAITO, YOSHIHIRO et al.						
US 5901238 A	19990504	Iris identification system and iris identification method	382/117	Matsushita, Mitsuji						
US 6662166 B2	20031209	Tokenless biometric electronic debit and credit transactions	705/39	Pare, Jr., David Ferrin et al.						